## ThinkPad 11e (5th Gen) 20LQ000HUS

Region

US

Machine Type

20LQ

TopSeller

TopSeller

Processor

Celeron N4100 (4C, 1.1 / 2.4GHz, 4MB)

vPro

No

Graphics

Integrated Intel UHD Graphics 600

Memory

4GBx1 DDR4-2400

Display

11.6" HD (1366x768)

Multi-touch

None

Storage

128GB SSD M.2 PCIe NVMe

Optical

None

WLAN + Bluetooth

Intel 9260 ac, 2x2 + BT5.0

Camera

720p

Keyboard

Non-backlit

Fingerprint Reader

None

NFC

None

**TPM** 

dTPM 2.0

Battery

3-cell (42Wh)

Power Adapter

45W Slim Tip

Operating System

Windows 10 Pro 64

Warranty

1-year, Depot

End of Support

Feb 13, 2023

Ann Date (mm/yy)

02/18

Note:

Country Code "US" is for United States, "++" is for EMEA countries (e.g. AD - Saudi, Arabia, AT - Austria, BM - Bulgaria, etc.), "xx" is for EAST countries (e.g. BM - Bulgaria, CX - Hungary, CY - Cyprus, etc.), and "\*\*" is for MEA countries (e.g. AD - Saudi, Arabia, ED - Egypt, EQ - Sweden, etc.). Please be aware that the EMEA/ EAST/MEA models listed above might not be available in all countries



## www.lenovo.com

This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area. Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.



## http://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2018. All rights reserved.



## ThinkPad 11e (5<sup>th</sup> Gen) Platform Specifications

Processor	7th Generation Intel® Core™ m / i5 Processor, Intel Celeron® processor, or Intel Pentium® Silver processor								Dimensions Weight	WxDxH: 11.81" x 8.27" x 0.86"; 300mm x 210mm x 21.9mm Starting at 2.99 lb (1.36 kg)
	Processor Number	# of Cores	of # of ores Threads	Base Frequency	Burst Frequency	Cache	Memory Types	Processor Graphics	Case color Case material	Black Display cover: PC/ABS+GF; Bottom: PC/ABS plastic
	m3-7Y30	2	4	1.0 GHz	2.6 GHz	4MB	LPDDR3-1866	615	Media reader Ports	MicroSD card reader Two USB 3.1 Gen 1, one USB 3.1 Type-C Gen 1, HDMI 1.4b, Ethernet (RJ-45), headphone / microphone combo jack, microSD card reader, security keyhole
	i5-7Y54	4		1.2 GHz	3.2 GHz	4MB	LF DDA3-1000			
	Cel N4100			1.1 GHz	2.4 GHz	4MB	DDD4 0400	Intel UHD Graphics 600	600 Camera	HD720p camera, fixed focus HD Audio, Realtek® ALC3287 codec, Dolby® Audio™ / stereo speakers, 2W x 2 / monaural digital microphone, combo audio/microphone jack
	Pen N5000			1.1 GHz	2.7 GHz	4MB	DDR4-2400	Intel UHD Graphics 605		
Graphics	Intel HD Graphics 615, Intel UHD Graphics 600 or 605 in processor, supports external digital monitor via HDMI or USB Type-C:								Keyboard Touchpad	6-row, spill-resistant, multimedia Fn keys Buttonless Mylar surface touchpad below keyboard, multi-touch
	supports dual independent display; Max resolution: 3840x2160@60Hz (USB Type-C); 4096x2160@30Hz (HDMI)							30Hz (HDMI)	Security Power-on password, supervisor password, security keyhole Security chip Discrete TPM 2.0, TCG Certified  vPro None Fingerprint reader None NFC None	
Chipset Memory	Intel SoC (System on Chip) platform 4GB or 8GB / 1866MHz LPDDR3 or 2400MHz DDR4 / soldered to systemboard, no sockets									
Display	Some: 11.6" (295mm) HD (1366x768), anti-glare, LED backlight, 250 nits, 16:9 aspect ratio, 400:1 or 500:1 contrast ratio  Some: 11.6" (295mm) HD (1366x768), anti-glare, LED backlight, IPS, multi-touch								Battery Max battery life AC adapter	Integrated Li-Ion 42Wh battery  MobileMark® 2014: 13.9 hr 45W or 65W slim tip AC adapter
	250 nits, 16:9 aspect ratio, 800:1 contrast ratio, 170° viewing angle								Preload	Windows® 10 Home 64 or Windows 10 Pro 64
Multi-touch	Capacitive-type multi-touch, supports 10-finger gesture (HD IPS only)							only)	Limited warranty	
Storage	eMMC flash memory on board or M.2 SSD / PCIe NVMe, PCIe 3.0 x 2, 16Gb/s									<ul> <li>1-year depot repair service</li> <li>3-year/1-vr battery depot repair service</li> </ul>
Optical	Name								Mil-Spec test	MIL-STD-810G military certification
Ethernet	Realtek RTL8111GUS Gigabit Network Connection								Environment	EPEAT™ Gold; ENERGY STAR® 6.1; RoHS-compliant
WLAN + Bluetooth™	One of the following, configurable by model:  Intel Wireless-AC 9260, Wi-Fi 2x2 802.11ac + Bluetooth 5.0, M.2 card  Intel Wireless-AC 9560, Wi-Fi 2x2 802.11ac + Bluetooth 5.0, M.2 card (US only)									
WWAN	None									

Lenovo March 2018

